TO ALL FLEET VESSELS

Ref: DMA-SAPID/AIFI01/99/C1121

Date: 2020.09.15

In The Name Of God

Dear Captain Good Day,

Fyki, that flag administration (PMO) decide to carry out CIC inspection on Marpol Annex I from 22/Sep to 20/Dec for all fleet vessels therefore you should be carry out your inspection as per attached checklist and forward checklist to SM Dept. & this office in urgent basis.

Pl's find attached file "CONCENTRATED INSPECTION CAMPAIGN (CIC) ON MARPOL ANNEX I" for your kind attention and necessary precaution measures.

You are requested to confirm receipt, discuss the contents in the next consolidated meeting on board & keep a copy in the file DA-11 .

BEST REGARDS
CAPT.A.Momeni.N.
Accident Investigation And Fleet Inspection
Department Of Maritime Affairs
Sapid Shipping Co.

<u>Tel:+98-21-2610 0357</u> <u>Fax:+98-21-2610 0356</u> <u>Direct Tel:+98-21-2384 3543</u>

PL'S REPLY TO; dma@sapidshpg.com cso@sapidshpg.com



CONFIDENTIALITY NOTICE

This email is intended only for the addressee named above. As this email may contain confidential or privileged information, if you are not the named addressee or the person responsible for delivering the message to the named addressee, Please inform us (By Email or Telephone) before deleting it. Please delete the document from your E-Mail system. The contents should not be disclosed to any other person nor copies taken.



Islamic Republic of IRAN

Ports and Maritime Organization

CONCENTRATED INSPECTION CAMPAIGN (CIC) ON MARPOL ANNEX I (22 SEP TO 20 DEC 2020)

TO: SHIPOWNERS & SHIPS' OPERATORS & MANAGERS SURVEYORS TO FLAG STATE ADMINISTRATION & PORT STATE CONTROL & CLASSIFICATION SOCIETIES

Tehran, 20 Aug. 2020.

Islamic Republic of IRAN Ports and Maritime Organization will conduct a Concentrated Inspection Campaign (CIC) on MARPOL Annex I requirements from 22 SEP TO 20 DEC 2020.

The CIC will be carried out jointly to routine Port / Flag State Control Inspection and it will target operational control of MARPOL Annex I on all type of vessels in ports and anchorages . As many vessels as possible will be inspected.

The review of the Port State Control detention records involving I.R.IRAN vessels in 2019 shows that there was a significant number of vessels detained due to MARPOL related deficiencies. Also, the review of the Annual Flag State Inspection reports indicates that this is an area where there are still short comings on many I.R.IRAN vessels and requires closer attention from Shipowners and Companies to ensure that mandatory requirements are complied with.

Ships must comply with all applicable international conventions at all times!

Islamic Republic of IRAN

Ports and Maritime Organization



CONCENTRATED INSPECTION CAMPAIGN (CIC) ON MARPOL ANNEX I (22SEP TO 20 DEC 2020)

Concentrated Inspection Campaign (CIC) on MARPOL Annex I

Inspection						
Authority Ship Name			IMO No.			
Ship Name Date of Inspection			Inspection Port			
NO.	Question		N/A	No	Yes	
1	Is the Oil Filtering the IOPP certification (The type appropriate of Filtering Equipm)	to		103		
2	Is the Oil Filterin and maintained in on board? (This is a very of being detained by tested, inspected Relevant crew maintenance symaintenance should be on board?	ng Equipment system ef n accordance with the plant common deficiency which p PSC. Oil Filtering Equal and maintained to ensu- members must be fan stem and records of puld be available on rd for prompt replaceme	fectively inspected, testeranned maintenance system of has led to many ship ipment should be regular are their proper function miliar with the plann of test, inspection are board. Necessary sparant when necessary.	m os ly ss. ed id es		
3	properly? (This is a very of being detained by of the 15 ppm all	common deficiency whic y PSC. Crew must be ab arm in accordance with Trew must also be famili	tly adjusted and operation of the control of the co	ps est of		
4	Is the automatic of Oil Filtering Equal (This is applicable common deficien PSC. Crew must automatic valve of the instruction material of the instruction of the oil of the instruction of the oil of the instruction of the oil	3-way valve or stopping ipment functioning? le to ships of 10 000 GT cy which has led to man to be able to perform a for stopping device funct	device at the outlet of the device at the outlet of the and above. This is a very ships being detained a proper test of the 3-weigning in accordance with the necessary spares shown necessary.	ry by ay th		
5	Is the Oil Filteri unauthorized mod (The actual system the Oil Filtering	ng Equipment system f difications? m must correspond with Equipment system on th	the approved drawings for the ship. There must not thich can be used to modification.	or be		

Are the sludge tanks free of illegal direct connection overboard? (Unauthorized modification on sludge system are not allowed) Is there a standard discharge connection to enable sludge to be discharged to shore reception facilities? (The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the intended voyage).	6	Confirming that revised Oil Record Book in accordance with Res.MEPC.187(59) is placed and maintained on board.		
Is there a standard discharge connection to enable sludge to be discharged to shore reception facilities? (The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
Sthere a standard discharge connection to enable sludge to be discharged to shore reception facilities?		Are the sludge tanks free of illegal direct connection overboard?		
Is there a standard discharge connection to enable sludge to be discharged to shore reception facilities? (The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the	7			
discharged to shore reception facilities? (The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
(The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
(The standard discharge connection shall be in accordance with Reg. 19 Annex I of MARPOL 73/78) Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the	Q	discharged to shore reception facilities?		
Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the	0	(The standard discharge connection shall be in accordance with		
Is there evidence that sludge and/or bilge water has been discharged to port facilities? (Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the		,		
(Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
(Relevant receipt for discharge of sludge or oily mixture should be kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the		to port facilities?		
kept on board and appropriate entries made in the Oil Record Book) If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the	9			
If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
If sludge has not been discharged into port facilities, has the incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
incinerator or auxiliary boiler been used for burning sludge on board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the		,		
10 board? (The crew must be able to account for the sludge generated on board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the	10	•		
board. Disposal of sludge by illegal means is not allowed). Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
Is there sufficient capacity remaining in the sludge and/or bilge water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
water tanks for the intended voyage? (Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
(Regular sounding of sludge and bilge tanks should be carried out to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the				
to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the		water tanks for the intended voyage:		
to ascertain adequate capacity for the intended voyage. A ship may be detained and required to discharge its sludge and oily mixture on board if there is insufficient capacity in the sludge tanks for the		(Regular sounding of sludge and bilge tanks should be carried out		
on board if there is insufficient capacity in the sludge tanks for the	11			
		be detained and required to discharge its sludge and oily mixture		
intended voyage).				
		intended voyage).		
12 Has the ship been detained as a result of the Inspection Campaign?	12	Has the ship been detained as a result of the Inspection Campaign?		
and the same state of the mapped of the mapp		as a result of the moposition campaign.		